

CLAIMS

What is claimed is:

1. A stabilizing arrangement for a double walled drawer, mounted for guided in and out movement with respect to a furniture body comprising; drawer support means, for supporting said drawer during the in and out movement; a guide located in a slot on the support means to accommodate variance between the furniture body and said drawer width; a runner system housed within said support means to enable said in and out movement; wherein said guide being moveable laterally in order to be aligned with a drawer runner system while fitting into said slot and locked thereto when force is applied to said guide.

2. The stabilizing arrangement as claimed in claim 1, wherein the drawer support means for supporting the in and out movement is a bottom support bracket.

3. The stabilizing arrangement as claimed in claim 1 further comprising a force supplying means, for locking said guide onto the support means.

4. The stabilizing arrangement as claimed in claim 1, wherein the guide is sized to relatively fit in a serration on the bottom support bracket.

5. The stabilizing arrangement as claimed in 3, wherein the force supplying means applies constant pressure to the guide.

6. The stabilizing arrangement as claimed in claim 3 wherein the force supplying means for producing a resilient force on said guide includes a lever and a leg.

7. The stabilizing arrangement as claimed in claim 6, wherein said lever is in the form of an inverted U-shaped bracket.

8. The stabilizing arrangement as claimed in claim 6, wherein said leg is formed of sheet metal or any suitable material with two side surfaces with a relatively smooth edge, which is adapted to fit a recess of said lever.

9. The stabilizing arrangement as claimed in claim 3, wherein the force supplying means is affixed onto the drawer bottom support bracket by a holder.

10. The stabilizing arrangement as claimed in claim 9, wherein the holder is in the form of an L-shaped bracket.

11. The stabilizing arrangement as claimed in claim 1, wherein the guide is in alignment automatically with the runner system.

12. A drawer comprising the stabilizing arrangement as claimed in claim 1.

13. The drawer as claimed in claim 12, wherein the stabilizing arrangement is on at least one side of the drawer.